

LEGISLATIVE RETURN

SUBMITTED BY: Hon. John Streicker Community Service

On November 14, 2017, Scott Kent for Copperbelt South



- asked the following question during the Oral Question Period at page(s) _____ of *Hansard*
- submitted the following written question – WQ No. _____
- gave notice of the following motion for the production of papers – MPP No. _____

RE: _____

OR

This legislative return relates to a matter outstanding from discussion related to:

Mr. Kent

“...The low bid was, I think, \$5.1 million. If the minister can confirm that low bid for me and whether or not this project has been awarded and is underway. It was advertised on June 2, according to the document that the minister provided to me. If you need the tender number, it's 2017 18-2503. So again, I am looking for an update on that particular one, and I guess the same questions — when the analysis was done with respect to this it was about \$1.3 million over the estimate. I am just trying to get a sense if analysis was done as to where that \$1.3 million came into play with respect to this particular project.”

On November 14, 2017, at page(s) 1627 of *Hansard*

The response is as follows:

The tender closed on July 11, 2017 with the lowest bid of \$5,177,290, which was \$1.3 million over budget.

Upon reviewing the tender, the consultant supported the additional costs for the disinfection systems as well as higher electrical costs. The consultant then recommended that YG approve additional funds needed to complete the project.

The Yukon government reviewed and agreed with the recommended changes, so approved the extra funds needed.

The project was awarded on September 11, 2017 and construction is currently underway.

Signature

23 Nov 2017

Date